



We make air handling technology. Better.





Customers choose ClimateCraft when they want the best crafted custom air handlers designed to meet their exact site conditions for performance, size and efficiency. Since 1998 ClimateCraft has worked with customers to design and build custom solutions based on our engineering expertise and experience in air management solutions. Customers can count on ClimateCraft for:

- Configuration to site conditions
- Extreme duty
- Reliable, quality construction
- High static, low leakage applications
- Low total cost of ownership



Our Custom Products

Indoor air handlers

Outdoor air handlers

ACCESS™ site assembled air handler replacement units

Energy recovery ventilation units

Stand-alone fan array towers

What makes a ClimateCraft air handler the best choice?

- Gasketed and bolted design and air seals
- Fiberglass or injected foam insulation
- Thermal break as standard
- Compact footprint
- Galvanized, aluminum or stainless steel
- 4,000 to 200,000+ CFM





Making the Impossible Replacement Possible

The ACCESS™ Replacement Air Handler Solution provides the benefits of advanced air handler technology when replacing units that are unreliable, inefficient or no longer sized for current capability needs.

- Designed and built specifically for site assembly in the most challenging installations
- Factory training of installers or jobsite supervision available
- Custom flexibility to meet size, configuration and performance requirements
- Same quality construction and options as factory-built ClimateCraft air handlers
- Components are clearly labeled for quick identification, as well as sorting and staging at the jobsite



Outdoor Air Handler Installation





ClimateCraft has engineered innovative technologies to provide our customers with the bottom-line benefits of the latest advancements in air management. We have a commitment to continuous product improvement for our customers.

Our FanMatrix fan array system is available in new air handlers or it can be retrofitted in old air handlers to replace a large single fan that is no longer efficient, reliable, or adequately sized. FanMatrix systems are available in 2,000 to 200,000+ cfm to meet a wide range of airflow requirements.


Integrated inertia base provides spring isolation of all fans, eliminating any resonance frequencies at the source. FanMatrix gives you the redundancy of a fan array with fans and motors sized to provide optimized efficiency.

FanMatrix™ Fan Array Advantages

- Improved redundancy
- Improved airflow
- Optimized efficiency
- Smaller footprint
- Reduced maintenance
- Better acoustics

**5 Year
Warranty**

The FanMatrix system comes with a standard five-year warranty on rotating parts. An industry first!



ClimateCraft offers a compact version of our FanMatrix™ fan tower (right) compared to our standard array (left). This option is available in ClimateCraft custom air handlers up to 20,000 cfm capacity. The compact arrays weigh up to 30% less than our standard fan arrays with comparable airflow capacity.



FanMatrix Technologies and Innovations

BalanceStream® Technology

- Unloading to 10% results in increased energy efficiency for your HVAC system.
- Provides full shutoff with no backdraft damper
- For new or existing FanMatrix systems



MatrixMonitor™ System

- Continually monitors airflow measurement of individual fans and the total fan array
- Use stand-alone or integrate with a building management system



FlexSpeed™ Motor

- Designed specifically to power fan arrays with VFDs
- Can reduce annual power usage 5% to 10% compared to incremental HP motors



Fan Removal Winch

- Convenient method of removing fan assembly
- One winch required per array



Integrated Inertia Base

- Provides spring isolation of all fans
- No resonance in operating range





Best in Class Design

ClimateCraft custom air handlers are designed for stringent performance and optimized cost of ownership.


Innovative Cabinets

The innovative bolted standing seam cabinet construction method is designed in compliance with ASHRAE/ANSI Standard 111, and a minimum of Class 5 Performance. Most importantly, the gasketed and bolted design does not rely on caulking for low air leakage, improved energy efficiency and reduced cabinet sweating. In fact, our integrated air seals provide best-in-class low-leakage performance.


Panels are removable with a bolted exterior standing seam that allows easy access to the internal components of the air handler.

Building on a Strong Base

ClimateCraft air handlers utilize a strong welded structural base using either 2 x 5 or 2 x 8-inch steel perimeter rails with formed steel C channels on 24-inch maximum centers. Stringers between cross members also reinforce the floor. Aluminum treadplate floors are available either fastened or fully welded. A recessed base is also available.



ClimateCraft's unique roll-formed panel construction provides a full thermal break and is significantly stronger than framed units that are welded and/or caulked.



Removable panels with bolted exterior standing seams.



2-inch recessed base with upturned lip



Double sloped drain pans



Aluminum treadplate floor material

ClimateCraft custom and site-assembled air handlers use the same design and construction process to provide consistent quality and performance, regardless of your application.



Air handler undergoing pressure testing in the factory

Designed and Tested to Perform

ClimateCraft air handlers are designed, built and tested for compliance to leading industry standards.

- AHRI
- AMCA
- California OSHPD*
- ETL
- IBC Seismic*
- Miami Dade County

ClimateCraft units are tested in the factory to ensure that performance specifications are met before shipping to the jobsite. Customers are welcome to visit the ClimateCraft production facility to witness these tests or inspect their equipment before it ships.

*Aluminum panel construction excluded.



Welded structural base

Components and options available for meeting virtually any requirement

Interior and Exterior Construction

- Galvanized
- Pre-painted
- Stainless steel
- Aluminum

Insulation

- 2, 3, or 4-inch fiberglass
- 2, 3, or 4-inch injected foam

Base

- Welded structural base
- Bolt-together modular panelized base
- Foamed base insulation

Flooring

- Galvanized steel
- Smooth or treadplate aluminum or stainless steel
- Fastened or welded floor plates
- Standard or 2-inch recessed floor

Thermal Break Panels

- Gasket and foam
- Clip and fiberglass

Filtration

- Pre-filters
- HEPA filters
- Pleated, rigid or bag filters

Coils

- Standard stainless steel casings
- Aluminum or copper fins
- Corrosion-resistant coatings available

Air Management


- Humidification
- Air blenders
- Supply and return dampers



As an integrated manufacturer ClimateCraft builds and warrants not only the panels and bases of our products, but also our fans, coils and doors. This integration provides consistent quality management and process flow in our manufacturing and scheduling.

ClimateCraft products are designed, engineered and built in our facility in Oklahoma City, Oklahoma. Our factory uses Lean Manufacturing practices to further ensure that our products reflect our commitment to quality and customer satisfaction. In addition, we have achieved both ISO 9001:2015 certification and ISO 14001:2015 certification.







Custom solutions from ClimateCraft provide innovative air management in a variety of building types and applications.



Photo: Smith Seckman Reid

Vanderbilt University Medical Center
Nashville, Tennessee

100% outdoor air ACCESS site-assembled air handler



Biotechnology Company
Rhode Island Manufacturing Facility

Custom air handler



University of Texas MD Anderson Cancer Center
Houston, Texas

ACCESS site-assembled air handlers



Kauffman Center for the Performing Arts
Kansas City, Missouri

17 custom air handlers



Halifax Medical Center
Daytona Beach, Florida
Two custom air handlers and two ACCESS site-assembled air handlers



IM Flash Technologies
Lehi, Utah
Custom air handlers



Idaho State Supreme Courthouse
Boise, Idaho
One ACCESS site-assembled air handler



New York Public Library
New York, NY
8 ACCESS site-assembled air handlers



Convention Center
Oklahoma City, Oklahoma
28 custom air handlers and one makeup air handler

Working for Your Success



North American Sales Representatives

ClimateCraft products are represented in the United States and Canada by a network of more than 80 offices experienced in solving the air management challenges faced by today's owners, engineers and contractors.

Both ClimateCraft and our representatives understand how custom air handlers need to support your important business needs.

- Cost containment
- System reliability
- Regulatory compliance
- Project time line
- Indoor air quality concerns

To learn more about ClimateCraft solutions and capabilities, please contact a sales representative near you. **To find a representative, visit climatecraft.com/rep-locator.**

Support at the Jobsite

ClimateCraft excels at providing you with the tools you need for a smooth installation that meets your project time line. We offer multiple options for installer training—one is sure to fit your project.

- At our factory
- On your jobsite
- Field supervision of installers by our experts

In addition, our ACCESS™ replacement air handlers, which typically have the tightest installation time lines, are clearly labeled for efficient identification, sorting and staging at the jobsite.

We also provide easy-to-follow graphical instructions for step-by-step assembly of ACCESS units at the jobsite. 3D drawings of the unit and detailed panel maps help installers stay on schedule and eliminate any guesswork.

ClimateCraft's fan arrangement products allow for fans to be turned on and off for safety, repair and maintenance purposes. ClimateCraft's fan arrangement products are not designed to turn individual fans on and off for the purpose of improving fan arrangement efficiency, and ClimateCraft does not endorse turning individual fans on and off for the purpose of improving fan efficiency. Any statement to the contrary is not supported by ClimateCraft.



1427 NW 3rd St.
Oklahoma City, OK 73106
Phone: 405.415.9230
www.climatecraft.com

ACCESS, BalanceStream, FanMatrix,
FlexSpeed and MatrixMonitor are trademarks
or registered trademarks of ClimateCraft, Inc.

BR-SL-B-121221-CLC
© 2021 ClimateCraft, Inc.